



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification⁶:

G11B 7/00

A1

(11) International Publication Number:

WO 99/16060

(43) International Publication Date:

1 April 1999 (01.04.99)

(21) International Application Number: PCT/US98/19531

(22) International Filing Date: 22 September 1998 (22.09.98)

(30) Priority Data:

08/935,370

22 September 1997 (22.09.97) US

(71) Applicant: DIDACTICOM PARTNERS [US/US]; 560 Hayne Road, Hillsborough, CA 94010 (US).

(72) Inventors: WILLIAMS, John, C.; P.O. Box 25035, San Mateo, CA 94402 (US). KEYSTON, Douglas, A.; 560 Hayne Road, Hillsborough, CA 94010 (US).


(74) Agents: FEIX, Donald, C. et al.; 241 North San Mateo Drive, San Mateo, CA 94401 (US).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published

With international search report.

(54) Title: EMBEDDED MULTIMEDIA CONTROL CODE METHOD AND APPARATUS



(57) Abstract

Methods and apparatus of integrating multimedia materials with didactic printed materials (25) present selected relevant multimedia material in response to the sensing of control codes (29A, 29B) embedded in context sensitive and/or content sensitive didactic printed material (25). A store (31, 51) of multimedia information is created, and the store (31, 51) is correlated to related context and/or content sensitive didactic printed material (25). The store (31, 51) is categorized to transmit certain categories (35, 37, 39, 49A, 49B, 49C, 49D) of the stored information from the store (31, 51) to a multimedia display (41) in response to the reception of certain input signals obtained from certain codes (29A, 29B) embedded in the didactic printed material (25). The printed didactic material (25) controls the display of multimedia material. Either preexisting didactic printed material or currently created didactic printed material can be efficiently and economically integrated with multimedia materials to display certain selected multimedia materials at sensitive places of the printed materials (25).

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

EMBEDDED MULTIMEDIA CONTROL CODE METHOD AND APPARATUS

SPECIFICATION

Background of the Invention

The invention relates to methods and apparatus for integrating multimedia materials with didactic printed materials.

5 This invention relates particularly to methods and apparatus for presenting selected relevant multimedia material in response to the sensing of control codes which are embedded in context sensitive and/or content sensitive didactic printed material.

Summary of the Invention

10 It is a primary object of the present invention to create a store of multimedia information which is categorized and correlated to related context sensitive and/or content sensitive didactic printing material and to transmit certain categories of the stored information to a multimedia display in response to certain input signals obtained from certain codes embedded in the didactic printed material.

15 In the method and apparatus of the present invention certain codes are embedded in or adjacent to certain locations of didactic printed material.

Each code is correlated to a certain category of the information in the store so that the certain category of stored multimedia information is displayed only when the particular code is sensed in the course of reading that portion of the text material.

20 Upon the sensing of a particular code, an input signal corresponding to that sensed code is transmitted to the store.

The input signal as received at the store causes the store to transmit a particular category of the stored information to the display. The selected category of stored multimedia information is therefore displayed concurrently with the reading of the related text so that the displayed multimedia information illustrates and/or elaborates on the text information. This can provide a more varied and

25

complete understanding and appreciation of the material discussed in the text.

In the method and apparatus of the present invention the printed didactic material controls the display of the multimedia material.

In the present invention either preexisting didactic printed material or
5 currently created didactic printed material can be efficiently and economically integrated with multimedia materials to display certain selected multimedia materials at context sensitive and/or content sensitive places of the printed materials. Codes may be added to existing printed material, or codes can be selected from certain text features of existing printed material. In the case of
10 currently created printed material, the codes may be added or selected as the material is being created.

Methods and apparatus which incorporate the features described above and which are effective to function as described above constitute further, specific objects of the invention.

15 Other and further objects of the present invention will be apparent from the following description and claims and are illustrated in the accompanying drawings, which by way of illustration, show preferred embodiments of the present invention and the principles thereof and what are now considered to be the best modes contemplated for applying these principles. Other embodiments of the invention
20 embodying the same or equivalent principles may be used and structural changes may be made as desired by those skilled in the art without departing from the present invention and the purview of the appended claims.

Brief Description of the Drawing Views

Figure 1 is an overall, perspective view showing one embodiment of a
25 method and apparatus constructed in accordance with the present invention. The embodiment of the method and apparatus shown in Figure 1 integrates multimedia materials with didactic printed materials to present selected relevant multimedia material in response to the sensing of control codes embedded in context sensitive and/or content sensitive didactic printed material.

30 Figure 2 is a perspective, diagrammatic view showing details of certain components and certain inter-associations of the components of the invention

illustrated in Figure 1.

Figure 3 is a top plan view of a storage disk (such as, for example, a magnetic disk or a CD-ROM disk) containing a created store of certain selected multimedia information. The disk contains certain categories of multimedia information stored at specified locations (e.g., the three arcuately curved sectors) on the storage disk. Figure 3 indicates (in the monitor displays indicated by the direction arrows leading from the respective storage sectors) the particular category of relevant multimedia material which is stored at the respective sectors. Figure 3 also illustrates (in the upper left hand corner of Figure 3) how a file allocation table or other control structure contains instructions which, when activated by a signal from a specific embedded control code, is effective to call-up a selected sector for the display of the multimedia material contained in that sector. This call-up is indicated by the zig-zag shaped line connecting each illustrated display screen with its respective instruction set.

Figure 4 is a table illustrating how the elements of the apparatus and method of the present invention are sequenced and are associated for integrating multimedia materials with didactic printed materials to present selected relevant multimedia material in response to the sensing of control codes embedded in context sensitive and/or content sensitive didactic printed material.

Detailed Description of the Preferred Embodiments

Figure 1 is a perspective view showing one embodiment 21 of an apparatus and method for integrating multimedia materials with didactic printed materials so as to be able to present selected relevant multimedia material in response to the sensing of control codes embedded in context sensitive or content sensitive didactic printed material.

The embodiment 21 of the present invention creates a store of multimedia information which is correlated to related context sensitive or content sensitive didactic printed material.

The created store of multimedia information is categorized in a way that permits the store to transmit certain categories of the stored information to a multimedia display in response to the reception of certain input signals obtained

from certain codes embedded in the didactic printed material. The codes are embedded in the didactic printed material at certain context sensitive or content sensitive locations.

The present invention incorporates sensing means for sensing the embedded code and for generating an input signal.

Transmitting means transmit the input signal to the store.

When the input signal is received at the store, a certain category of the stored information is selected and is transmitted to a multimedia display.

In the present invention the printed didactic material controls the display of the multimedia material.

Either preexisting didactic printed material or currently created didactic printed material can be efficiently and economically integrated with multimedia materials to display certain selected, relevant multimedia materials at sensitive places of the printed material.

In Figure 1 a person 23 is shown reading didactic printed text material 25 contained within a book 27.

Certain codes are embedded in the printed material 25 at certain context sensitive and/or content sensitive locations. Thus, as illustrated in Figure 1, a bar code 29(A) is embedded in the portion of the printed material 25 in the upper part of the right hand page. Another bar code 29(B) is embedded in the lower part of the text on that page.

The purpose of having the codes embedded in the didactic printed material at the places indicated is to permit relevant categories of multimedia display to be presented in conjunction with the reading of the text of the didactic printed materials.

To be able to display a particular category of stored information in response to the sensing of the embedded control codes, a store of categorized multimedia information must be created, and the categories of the stored information must be correlated to related context sensitive and/or content sensitive parts of the didactic printed material.

In the embodiment illustrated in Figure 1 a categorized store of multimedia

information is created and is stored on a disk 31 of a computer system 33 (see Figure 2).

The disk 31 may, for example, be a CD-ROM disk or a magnetic disk or a laser disk.

5 As best illustrated in Figure 3, the disk 31 has discrete sectors such as the sectors 35, 37, and 39. Each discrete sector contains a certain category of multimedia information and is stored at a specific location on the storage disk 31.

As illustrated in Figure 1, the computer system 33 includes a display 41 for displaying the particular category of multimedia information when the particular
10 sector containing that category is called up for display.

As illustrated in Figure 2 and Figure 1, the computer system 33 also includes audio speakers 43 for playing audio information contained within a particular categorized sector of information.

In accordance with the present invention each embedded code is effective to
15 transmit a specific input signal to the computer system 33 in response to the sensing of that particular code in the course of reading or scanning the printed material.

As illustrated in Figure 1, a bar code reader pen 45 scans the embedded code 29(B) and transmits an input signal through the line 47 to the computer system 33.

As shown in Figure 3, this input signal is processed by the computer system
20 33, and the computer activates a particular segment 49(B) of a file allocation table (or other control structure) 51 to call up the information stored at the sector 37. This, in turn, causes the categorized information stored at the sector 37 to be displayed on the display 41.

In the particular instance illustrated in Figures 1 and 3, the categorized
25 multimedia information which is displayed is multimedia information relating to a particular type of waterbird. The information may, for example, contain both video and audio information of that particular waterbird.

Such video and audio multimedia information can visually and audibly
30 supplement and add to the information contained in the didactic printed material at the portion of the text in the book 27.

The printed didactic material and the codes embedded in the printed didactic

material control the display of the multimedia material.

Either preexisting didactic printed material or currently created didactic printed material can be efficiently and economically integrated with multimedia materials to display certain selected multimedia materials at sensitive places of the printed materials.

The sensitive places can be content sensitive places.

The sensitive places can be context sensitive places.

The sensitive places can be combinations of content and context sensitive places.

In accordance with the present invention, the printed didactic materials can be preexisting printed materials. The embedded code means can be added to the preexisting printed materials or selected from printed material already present in the preexisting materials to enable materials already in print to be updated so as to permit controlled display of information from a created store of multimedia information and also to enable the information which is displayed to be correlated to related context sensitive and/or content sensitive parts of the didactic printed material.

The present invention can also embed code in didactic printed materials as the printed materials are being created.

The store of multimedia information can be created to incorporate a variety of multimedia types of information stored in a wide variety of ways, mechanisms and locations.

The store of multimedia information can, as described above, be stored on a CD-ROM disk, magnetic disk, or laser disk.

The information can be stored in non-volatile memory.

The information can be stored on an audio tape of an audio tape player.

The information can be stored at a website of a global communications network (as illustrated in the top right hand corner of Figure 2).

The information can be stored at other sites, such as, for example, school libraries or storage facilities of a local area network(as indicated in Figure 2).

The information can be stored on a video tape of a video tape recorder.

In Figure 1 the embedded code is illustrated as comprising bar codes located adjacent to certain sensitive places of the didactic printed material.

In accordance with the present invention, the embedded code can comprise a number of other code types and mechanisms.

5 For example, the embedded code may be numeric codes located adjacent to certain sensitive places of the didactic printed material.

The embedded code may comprise captions located adjacent to certain sensitive places of the didactic printed material.

10 The embedded code may comprise certain letter strings at or within certain sensitive places of the didactic printed material.

The embedded code may comprise certain bolded letter strings located at or within certain sensitive places of the didactic printed material.

The embedded code may comprise certain italicized letter strings located at or within certain sensitive places of the didactic printed material.

15 The embedded code may comprise magnetic code located at or within certain sensitive places of the didactic printed material.

Various sensing means may be used for scanning and transmitting signals relating to the embedded code.

20 For example, the embedded code may be visually scanned with the eye of the reader 23; and the reader can then transmit the input signal corresponding to that sensed code to the store. The reader can, for example, transmit the signal verbally, through a microphone 53, or manually, through a keyboard 55, or through a bar code reader pen 45, as illustrated in Figure 1, or through a bar code reader 57 (see Figure 2) or by infrared sensing means or by other sensing and transmitting mechanisms.

25 Figure 4 is a diagrammatic table illustrating how the elements of the apparatus and method of the present invention are sequenced and are inter-associated for integrating multimedia materials with didactic printed materials to present selected relevant multimedia material in response to the sensing of control codes embedded in context sensitive and/or content sensitive didactic printed material.

30

Components which have been illustrated in Figures 1-3 and which correspond to the components indicated by the descriptive terms in Figure 4 are indicated by similar reference numerals in Figures 1-3 and Figure 4.

Figure 4 thus is a graphical, flow chart, sequencing diagram showing the operation of the method and apparatus of the present invention.

In summary, the method and apparatus of integrating multimedia materials with didactic printed materials of the present invention provide a system in which the printed didactic material controls the display of the multimedia material.

Either preexisting didactic material or currently created didactic printed material can be provided with embedded codes so that the printed material can be efficiently and economically integrated with multimedia materials to display certain selected multimedia materials at sensitive places of the printed materials.

While we have illustrated and described the preferred embodiments of our invention, it is to be understood that these are capable of variation and modification, and we therefore do not wish to be limited to the precise details set forth, but desire to avail ourselves of such changes and alterations as fall within the purview of the following claims.

In the Claims

1. A method of integrating multimedia materials with didactic printed materials to present selected relevant multimedia material in response to the sensing of control codes embedded in context or content sensitive didactic printed material, said method comprising,

5 creating a store of multimedia information which is correlated to related context or content sensitive didactic printed material and which is categorized to transmit certain categories of the stored information from the store to a multimedia display in response to the reception of certain input signals obtained from certain codes embedded in said didactic printed material,

10 sensing a code embedded in said didactic printed material,
transmitting an input signal corresponding to that sensed code to said store,
receiving the transmitted input signal at the store,
transmitting a certain category of the stored information to the multimedia display in response to the reception of the input signal, and

15 displaying the transmitted category of multimedia information on the display,
whereby the printed didactic material controls the display of the multimedia material and either preexisting didactic printed material or currently created didactic printed material can be efficiently and economically integrated with multimedia materials to display certain selected multimedia materials at sensitive places of the
20 printed materials.

2. The invention defined in claim 1 wherein the sensitive places are content sensitive places.

3. The invention defined in claim 1 wherein the sensitive places are context sensitive places.

4. The invention defined in claim 1 wherein the printed didactic materials are preexisting printed materials and including embedding codes in said preexisting printed materials.

5. The invention defined in claim 1 including embedding codes in the printed didactic materials as the printed materials are being created.

6. The invention defined in claim 1 wherein the store of multimedia information includes information stored on a CD ROM.

7. The invention defined in claim 1 wherein the store of multimedia information includes information stored in non-volatile memory.

8. The invention defined in claim 1 wherein the store of multimedia information includes information stored on a hard drive of a computer.

9. The invention defined in claim 1 wherein the store of multimedia information includes information stored on an audio tape of an audio tape player.

10. The invention defined in claim 1 wherein the store of multimedia information includes information stored at a web site of a global communications network.

11. The invention defined in claim 1 wherein the store of multimedia information includes audio and visual information.

12. The invention defined in claim 1 wherein the store of multimedia information includes information stored on a video tape of a video tape recorder.

13. The invention defined in claim 1 wherein the store of multimedia information includes information stored on a laser disk.

14. The invention defined in claim 1 wherein the embedded code comprises bar codes located adjacent to certain sensitive places of the didactic printed material.

15. The invention defined in claim 1 wherein the embedded code comprises numeric codes located adjacent to certain sensitive places of the didactic printed material.

16. The invention defined in claim 1 wherein the embedded code comprises captions located adjacent to certain sensitive places of the didactic printed material.

17. The invention defined in claim 1 wherein the embedded code comprises certain letter strings located at or within certain sensitive places of the didactic printed material.

18. The invention defined in claim 1 wherein the embedded code comprises certain bolded letter strings located at or within certain sensitive places of the didactic printed material.

19. The invention defined in claim 1 wherein the embedded code comprises certain italicized letter strings located at or within certain sensitive places of the didactic printed material.

20. The invention defined in claim 1 wherein the embedded code comprises magnetic code located at or within certain sensitive places of didactic printed material.

21. The invention defined in claim 1 wherein sensing the embedded code includes scanning the embedded code with a light wand scanner.

22. The invention defined in claim 1 wherein sensing the embedded code includes visually scanning the embedded code with the eye of the reader of the didactic printed material and then transmitting said input signal corresponding to that sensed code to said store.

23. The invention defined in claim 1 wherein sensing the embedded code includes visually scanning the embedded code with the eye of the reader of the didactic printed material and then transmitting said input signal corresponding to that sensed code to said store by typing information on the keyboard or keypad of a computer.

24. The invention defined in claim 1 wherein sensing the embedded code includes visually scanning the embedded code with the eye of the reader of the didactic printed material and then transmitting said input signal corresponding to that sensed code to said store by speaking information into a microphone.

25. The invention defined in claim 1 wherein the display is an audio visual display device which is capable of displaying certain animation, voice, music, sounds, charts, text, motion, film and other information relevant to the certain didactic printed materials associated with a certain embedded and sensed code and transmitted input signal.

26. Apparatus for integrating multimedia materials with didactic printed materials to present selected relevant multimedia material in response to the sensing of control codes embedded in context or content sensitive didactic printed material, said apparatus comprising,

a created store of multimedia information which is correlated to related context or content sensitive didactic printed material and which is categorized to transmit certain categories of the stored information from the store to a multimedia display in response to the reception of certain input signals obtained from certain codes embedded in said didactic printed material,

embedded code means comprising certain codes embedded in said didactic printed material at certain context or content sensitive locations ,

sensing means for sensing a code embedded in said didactic printed material,

signal transmitting means for transmitting an input signal corresponding to the sensed code to said store,

15 receiving means for receiving the transmitted input signal at the store,
categorized information transmitting means for transmitting a certain
category of the stored information to the multimedia display in response to the
reception of the input signal, and
displaying means for displaying the transmitted category of multimedia
20 information on the display,
whereby the printed didactic material controls the display of the multimedia
material and either preexisting didactic printed material or currently created didactic
printed material can be efficiently and economically integrated with multimedia
materials to display certain selected multimedia materials at sensitive places of the
25 printed materials.

27. The invention defined in claim 26 wherein the sensitive places are
content sensitive places.

28. The invention defined in claim 26 wherein the sensitive places are
context sensitive places.

29. The invention defined in claim 26 wherein the printed didactic
materials are preexisting printed materials and wherein the embedded code means
were added to said preexisting printed materials.

30. The invention defined in claim 26 wherein the embedded code means
were embedded in the printed didactic materials as the printed materials were
created.

31. The invention defined in claim 26 wherein the store of multimedia
information includes information stored on a CD ROM.

32. The invention defined in claim 26 wherein the store of multimedia
information includes information stored in non-volatile memory.

33. The invention defined in claim 26 wherein the store of multimedia information includes information stored on a hard drive of a computer.

34. The invention defined in claim 26 wherein the store of multimedia information includes information stored on an audio tape of an audio tape player.

35. The invention defined in claim 26 wherein the store of multimedia information includes information stored at a web site of a global communications network.

36. The invention defined in claim 26 wherein the store of multimedia information includes audio and visual information.

37. The invention defined in claim 26 wherein the store of multimedia information includes information stored on a video tape of a video tape recorder.

38. The invention defined in claim 26 wherein the store of multimedia information includes information stored on a laser disk.

39. The invention defined in claim 26 wherein the embedded code comprises bar codes located adjacent to certain sensitive places of the didactic printed material.

40. The invention defined in claim 26 wherein the embedded code comprises numeric codes located adjacent to certain sensitive places of the didactic printed material.

41. The invention defined in claim 26 wherein the embedded code comprises captions located adjacent to certain sensitive places of the didactic printed material.

42. The invention defined in claim 26 wherein the embedded code comprises certain letter strings located at or within certain sensitive places of the didactic printed material.

43. The invention defined in claim 26 wherein the embedded code comprises certain bolded letter strings located at or within certain sensitive places of the didactic printed material.

44. The invention defined in claim 26 wherein the embedded code comprises certain italicized letter strings located at or within certain sensitive places of the didactic printed material.

45. The invention defined in claim 26 wherein the embedded code comprises magnetic code located at or within certain sensitive places of the didactic printed material.


46. The invention defined in claim 26 wherein the sensing means include a light wand for scanning the embedded code.

47. The invention defined in claim 26 wherein the embedded code is visually scanned with the eye of the reader of the didactic printed material and wherein the reader then transmits said input signal corresponding to that sensed code to said store.

48. The invention defined in claim 47 wherein the signal transmitting means include keys for transmitting said input signal corresponding to that sensed code to said store by typing information on the keyboard or keypad of a computer.

49. The invention defined in claim 47 wherein the signal transmitting means include a microphone for transmitting said input signal to said created store of multimedia information.

50. The invention defined in claim 26 wherein the displaying means include an audio visual display device which is capable of displaying certain animation, voice, music, sounds, charts, text, motion, film and other information relevant to the certain didactic printed materials associated with a certain embedded and sensed code and transmitted input signal.

Fig. 1




Fig. 2



Fig. 6

Fig 4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/19531

A. CLASSIFICATION OF SUBJECT MATTER

IPC(6) :G11B 7/00

US CL :434/308

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : Please See Extra Sheet.

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

APS

search term: multimedia, bar code#, printed material

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 4,406,626 A (ANDERSON ET AL) 27 September 1983, see Figs. 1-19	1-50
A	US 4,518,361 A (CONWAY) 21 May 1985, see Figs. 1-8.	1-50
A	US 4,602,152 A (DITTAKAVI) 22 July 1986, see Figs. 1-5.	1-50
A	US 4,681,548 A (LEMELSON) 21 July 1987, see Figs. 1-10.	1-50
A	US 4,809,246 A (JENG) 28 February 1989, see Figs. 1-9.	1-50
A	US 4,994,987 A (BALDWIN) 19 February 1991, see Figs. 1-6.	1-50

☒ Further documents are listed in the continuation of Box C. ☐ See patent family annex.

* Special categories of cited documents:	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"A" document defining the general state of the art which is not considered to be of particular relevance	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"E" earlier document published on or after the international filing date	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"A" document member of the same patent family
"O" document referring to an oral disclosure, use, exhibition or other means	
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

23 NOVEMBER 1998

Date of mailing of the international search report

29 DEC 1998

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703) 305-3230

Authorized officer

JOE H. CHENG

Telephone No. (703) 308-2007

Sheila Venev
Patent Specialist
Technology Center 3700

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US98/19531

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	US 5,001,696 A (BALDWIN) 19 March 1991, see Figs. 1-6.	1-50
A	US 5,059,126 A (KIMBALL) 22 October 1991, see Figs. 1-10.	1-50
A	US 5,293,358 A (KRAUSE) 08 March 1994, see Fig. 1.	1-50
A	US 5,575,659 A (KING ET AL) 19 November 1996, see Figs. 1-4.	1-50

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US98/19531

B. FIELDS SEARCHED

Minimum documentation searched

Classification System: U.S.

434/118,169,178,185,307R,308315-319,365; 382/181,306,309,312,318,320; 369/1-5,181; 395/702; 706/927;
345/145,168,302.